

L Number	Hits	Search Text	DB	Time stamp
1	2578	driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:46
2	214	shift\$4 with voltage with source with driver with (equal\$4 or stabil\$6 or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:49
3	2	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and (shift\$4 with voltage with source with driver with (equal\$4 or stabil\$6 or level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:48
4	5	source with driver with equal\$4 with pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:50
5	0	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and ( source with driver with equal\$4 with pixel adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:50
6	0	adjust\$4 same souce adj voltage same driver same equal\$4 with pixel with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:54
7	0	adjust\$4 same source adj voltage same driver same equal\$4 with pixel with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:54
9	0	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and (adjust\$4 with source near4 voltage same driver same equal\$4 with pixel with electrode )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:55
8	2	adjust\$4 with source near4 voltage same driver same equal\$4 with pixel with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:56
10	3	adjust\$4 with voltage same driver same equal\$4 with pixel with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:00
11	0	6166713.URPN.	USPAT	2003/10/16 13:00
12	0	(adjust\$4 or modify\$4 or chang\$4 or alter\$4) with (voltage adj level) same souce same equal\$4 with pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:06
13	6	adjust\$4 same equally same pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:06

14	0	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and (adjust\$4 same equally same pixel adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:04
15	344	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:04
16	2	(adjust\$4 same equally same pixel adj electrode) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:04
17	3	(adjust\$4 or modify\$4 or chang\$4 or alter\$4) near5 (voltage adj level) same equal\$4 with pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:09
18	1	voltage adj3 level near6 adjustment near6 pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:11
19	1	voltage with level with adjustment near6 pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:11
20	4694	voltage with level with adjustment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:12
21	151	(voltage with level with adjustment).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:12
22	0	(driv\$4 with ((active near4 matrix) or electro adj optic\$4).ti.) and ((voltage with level with adjustment).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:13
23	0	((voltage with level with adjustment).ti.) and pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:13
24	0	((voltage with level with adjustment).ti.) and pixel near6 electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:13
25	10	((voltage with level with adjustment).ti.) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:14

26	0	reference adj voltage near5 voltage adj level near6 source adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:16
27	2	5402142.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:16
28	1	5402142.pn. and equal\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:18
29	17	5402142.URPN.	USPAT	2003/10/16 13:17
30	17	5402142.URPN. and equal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:18
31	13	((5402142.URPN. and equal\$4) and voltage near5 electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:19
32	12	((5402142.URPN. and equal\$4) and voltage near5 electrode) and (adjust\$ or chang\$4 or modify\$4) near6 voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:20